



[DCA HOME](#) | [ABOUT DCA](#) | [DCA PROGRAMS](#) | [CONTACT DCA](#)

[BCIS Home](#) | [Log In](#) | [User Registration](#) | [Hot Topics](#) | [Submit Surcharge](#) | [Stats & Facts](#) | [Publications](#) | [FBC Staff](#) | [BCIS Site Map](#) | [Links](#) | [Search](#)



## Product Approval

USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY

FL #	FL5419-R4												
Application Type	Revision												
Code Version	2007												
Application Status	Approved												
Comments													
Archived	<input type="checkbox"/>												
Product Manufacturer	Simonton Windows												
Address/Phone/Email	1 Cochrane Ave Pennsboro, WV 26415 (800) 746-6687 Ext 4825 patricia_robison@simonton.com												
Authorized Signature	Patricia Robison patricia_robison@simonton.com												
Technical Representative	Patricia Robison												
Address/Phone/Email	1 Cochrane Dr Pennsboro, WV 26415 (304) 659-2903 Ext 4825 patricia_robison@simonton.com												
Quality Assurance Representative	AAMA												
Address/Phone/Email	1827 Walden Office Square Suite 550 Schaumburg, IL 60173 (847) 303-5664 webmaster@amaanet.org												
Category	Windows												
Subcategory	Double Hung												
Compliance Method	Certification Mark or Listing												
Certification Agency	American Architectural Manufacturers Association												
Validated By	American Architectural Manufacturers Association												
Referenced Standard and Year (of Standard)	<table border="0"> <thead> <tr> <th><u>Standard</u></th> <th><u>Year</u></th> </tr> </thead> <tbody> <tr> <td>AAMA 506</td> <td>2006</td> </tr> <tr> <td>AAMA/WDMA/CSA 101/I.S.2/A440</td> <td>2005</td> </tr> <tr> <td>ANSI/AAMA/NWWDA/101 I.S. 2</td> <td>1997</td> </tr> <tr> <td>ASTM E 1886</td> <td>2002</td> </tr> <tr> <td>ASTM E 1996</td> <td>2002</td> </tr> </tbody> </table>	<u>Standard</u>	<u>Year</u>	AAMA 506	2006	AAMA/WDMA/CSA 101/I.S.2/A440	2005	ANSI/AAMA/NWWDA/101 I.S. 2	1997	ASTM E 1886	2002	ASTM E 1996	2002
<u>Standard</u>	<u>Year</u>												
AAMA 506	2006												
AAMA/WDMA/CSA 101/I.S.2/A440	2005												
ANSI/AAMA/NWWDA/101 I.S. 2	1997												
ASTM E 1886	2002												
ASTM E 1996	2002												
Equivalence of Product Standards Certified By													

Product Approval Method

Method 1 Option A

Date Submitted

01/02/2009

Date Validated

02/12/2009

Date Pending FBC Approval

02/16/2009

Date Approved

04/07/2009

Summary of Products		
FL #	Model, Number or Name	Description
5419.1	07-09	07-09, StormBreaker Plus 300VL, Vinyl Double Hung
<b>Limits of Use</b> Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +50/-50 Other: 53x76 Missile impact rating: (D) Large		<b>Certification Agency Certificate</b> <a href="#">FL5419_R4_C_CAC_SIM 07-09 DH Impact R50 53x76.pdf</a> <b>Quality Assurance Contract Expiration Date</b> 11/14/2011 <b>Installation Instructions</b> <a href="#">FL5419_R4_IL_IN0364.pdf</a> Verified By: American Architectural Manufacturers Association Created by Independent Third Party: <b>Evaluation Reports</b> Created by Independent Third Party:
5419.2	07-09	07-09 StormBreaker Plus 300VL, Vinyl Double Hung
<b>Limits of Use</b> Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +65/-65 Other: Twin 75x76 Missile Impact Rating: (D) Large		<b>Certification Agency Certificate</b> <a href="#">FL5419_R4_C_CAC_SIM 07-09 DH Impact R65 75x76.pdf</a> <b>Quality Assurance Contract Expiration Date</b> 06/27/2010 <b>Installation Instructions</b> <a href="#">FL5419_R4_IL_Mulled Impact Products.pdf</a> Verified By: American Architectural Manufacturers Association Created by Independent Third Party: <b>Evaluation Reports</b> Created by Independent Third Party:
5419.3	07-09	07-09 StormBreaker Plus 300VL, Vinyl Double Hung
<b>Limits of Use</b> Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +60/-60 Other: 37x84 Missile Impact Rating: (D) Large		<b>Certification Agency Certificate</b> <a href="#">FL5419_R4_C_CAC_APC 5000 fin and J 37x84 DH.pdf</a> <b>Quality Assurance Contract Expiration Date</b> 01/19/2010 <b>Installation Instructions</b> <a href="#">FL5419_R4_IL_IN0364.pdf</a> Verified By: American Architectural Manufacturers Association Created by Independent Third Party: <b>Evaluation Reports</b> Created by Independent Third Party:
5419.4	07-09	07-09, StormBreaker Plus 300VL, Vinyl Double Hung
<b>Limits of Use</b> Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +65/-65 Other: 37x76 Missile Impact Rating: (D) Large		<b>Certification Agency Certificate</b> <a href="#">FL5419_R4_C_CAC_SIM 07-09 0710 0720 37x76 DH 101 506 R65.pdf</a> <b>Quality Assurance Contract Expiration Date</b> 10/25/2009 <b>Installation Instructions</b> <a href="#">FL5419_R4_IL_IN0363.pdf</a> Verified By: American Architectural Manufacturers Association Created by Independent Third Party: <b>Evaluation Reports</b> Created by Independent Third Party:
5419.5	07-09	07-09, StormBreaker Plus 300VL, Vinyl Double Hung
<b>Limits of Use</b> Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +50/-50 Other: 73x111 DH twin with PW stack Missile Impact Rating: (D) Large		<b>Certification Agency Certificate</b> <a href="#">FL5419_R4_C_CAC_SIM 07-09 DH Impact R50 73x111.pdf</a> <b>Quality Assurance Contract Expiration Date</b> 04/08/2012 <b>Installation Instructions</b> <a href="#">FL5419_R4_IL_IN0062 revised.pdf</a>

		<p>Verified By: American Architectural Manufacturers Association                  Created by Independent Third Party:  <b>Evaluation Reports</b>                  Created by Independent Third Party:</p>
5419.6	07-10	07-10 StormBreaker Plus 300VL, Vinyl Double Hung
<p><b>Limits of Use</b>                  Approved for use in HVHZ: No                  Approved for use outside HVHZ: Yes                  Impact Resistant: Yes                  Design Pressure: +50/-50                  Other: 53x76 Missile Impact Rating: (D) Large</p>		<p><b>Certification Agency Certificate</b>  <a href="#">FL5419_R4_C_CAC_5000 fin and J waiver of retest letter including casements and signed by both AAMA and ALI.pdf</a>  <a href="#">FL5419_R4_C_CAC_SIM 07-09 DH Impact R50 53x76.pdf</a>  <b>Quality Assurance Contract Expiration Date</b>                  11/14/2011  <b>Installation Instructions</b>  <a href="#">FL5419_R4_IL_IN0364.pdf</a>                  Verified By: American Architectural Manufacturers Association                  Created by Independent Third Party:  <b>Evaluation Reports</b>                  Created by Independent Third Party:</p>
5419.7	07-10	07-10 StormBreaker Plus 300VL, Vinyl Double Hung Twin
<p><b>Limits of Use</b>                  Approved for use in HVHZ: No                  Approved for use outside HVHZ: Yes                  Impact Resistant: Yes                  Design Pressure: +65/-65                  Other: 75x76 Twin DH Missile Impact Rating: (D) Large</p>		<p><b>Certification Agency Certificate</b>  <a href="#">FL5419_R4_C_CAC_5000 fin and J waiver of retest letter including casements and signed by both AAMA and ALI.pdf</a>  <a href="#">FL5419_R4_C_CAC_SIM 07-09 DH Impact R65 75x76.pdf</a>  <b>Quality Assurance Contract Expiration Date</b>                  06/27/2010  <b>Installation Instructions</b>  <a href="#">FL5419_R4_IL_Mulled Impact Products.pdf</a>                  Verified By: American Architectural Manufacturers Association                  Created by Independent Third Party:  <b>Evaluation Reports</b>                  Created by Independent Third Party:</p>
5419.8	07-10	07-10 StormBreaker Plus 300VL, Vinyl Double Hung Twin with PW stacked
<p><b>Limits of Use</b>                  Approved for use in HVHZ: No                  Approved for use outside HVHZ: Yes                  Impact Resistant: Yes                  Design Pressure: +50/-50                  Other: 73x111 DH twin with PW stacked Missile Impact Rating: (D) Large</p>		<p><b>Certification Agency Certificate</b>  <a href="#">FL5419_R4_C_CAC_5000 fin and J waiver of retest letter including casements and signed by both AAMA and ALI.pdf</a>  <a href="#">FL5419_R4_C_CAC_SIM 07-09 DH Impact R50 73x111.pdf</a>  <b>Quality Assurance Contract Expiration Date</b>                  04/08/2012  <b>Installation Instructions</b>  <a href="#">FL5419_R4_IL_IN0062 revised.pdf</a>                  Verified By: American Architectural Manufacturers Association                  Created by Independent Third Party:  <b>Evaluation Reports</b>                  Created by Independent Third Party:</p>
5419.9	07-10	07-10 StormBreaker Plus 300VL, Vinyl Double Hung
<p><b>Limits of Use</b>                  Approved for use in HVHZ: No                  Approved for use outside HVHZ: Yes                  Impact Resistant: Yes                  Design Pressure: +65/-65                  Other: 37x76 Missile Impact Rating: (D) Large</p>		<p><b>Certification Agency Certificate</b>  <a href="#">FL5419_R4_C_CAC_SIM 07-09 0710 0720 37x76 DH 101 506 R65.pdf</a>  <b>Quality Assurance Contract Expiration Date</b>                  10/25/2009  <b>Installation Instructions</b>  <a href="#">FL5419_R4_IL_IN0363.pdf</a>                  Verified By: American Architectural Manufacturers Association                  Created by Independent Third Party:  <b>Evaluation Reports</b>                  Created by Independent Third Party:</p>
5419.10	07-10	07-10 StormBreaker Plus 300VL, Vinyl Double Hung
<p><b>Limits of Use</b>                  Approved for use in HVHZ: No                  Approved for use outside HVHZ: Yes                  Impact Resistant: Yes                  Design Pressure: +60/-60                  Other: 37x84 Missile Impact Rating: (D) Large</p>		<p><b>Certification Agency Certificate</b>  <a href="#">FL5419_R4_C_CAC_APC 5000 fin and J 37x84 DH.pdf</a>  <b>Quality Assurance Contract Expiration Date</b>                  01/19/2010  <b>Installation Instructions</b>  <a href="#">FL5419_R4_IL_IN0364.pdf</a></p>

		<p>Verified By: American Architectural Manufacturers Association                  Created by Independent Third Party:  <b>Evaluation Reports</b>                  Created by Independent Third Party:</p>
5419.11	07-20	07-20 StormBreaker Plus 300VL, vinyl Double Hung
<p><b>Limits of Use</b>                  Approved for use in HVHZ: No                  Approved for use outside HVHZ: Yes                  Impact Resistant: Yes                  Design Pressure: +60/-60                  Other: 37x84 Missile Impact Rating: (D) Large</p>		<p><b>Certification Agency Certificate</b>  <a href="#">FL5419_R4_C_CAC_APC 5000 fin and J 37x84 DH.pdf</a>  <b>Quality Assurance Contract Expiration Date</b>                  01/19/2010  <b>Installation Instructions</b>  <a href="#">FL5419_R4_IL_IN0364.pdf</a>                  Verified By: American Architectural Manufacturers Association                  Created by Independent Third Party:  <b>Evaluation Reports</b>                  Created by Independent Third Party:</p>
5419.12	07-20	07-20 StormBreaker Plus 300VL, Vinyl Double Hung
<p><b>Limits of Use</b>                  Approved for use in HVHZ: No                  Approved for use outside HVHZ: Yes                  Impact Resistant: Yes                  Design Pressure: +65/-65                  Other: Twin 75x76 Missile Impact Rating: (D) Large</p>		<p><b>Certification Agency Certificate</b>  <a href="#">FL5419_R4_C_CAC_5000 fin and J waiver of retest letter including casements and signed by both AAMA and ALI.pdf</a>  <a href="#">FL5419_R4_C_CAC_SIM 07-09 DH Impact R65 75x76.pdf</a>  <b>Quality Assurance Contract Expiration Date</b>                  06/27/2010  <b>Installation Instructions</b>  <a href="#">FL5419_R4_IL_Mulled Impact Products.pdf</a>                  Verified By: American Architectural Manufacturers Association                  Created by Independent Third Party:  <b>Evaluation Reports</b>                  Created by Independent Third Party:</p>
5419.13	07-20	07-20 StormBreaker Plus 300VL, Vinyl Double Hung
<p><b>Limits of Use</b>                  Approved for use in HVHZ: No                  Approved for use outside HVHZ: Yes                  Impact Resistant: Yes                  Design Pressure: +50/-50                  Other: 53x76 Missile Impact Rating: (D) Large</p>		<p><b>Certification Agency Certificate</b>  <a href="#">FL5419_R4_C_CAC_5000 fin and J waiver of retest letter including casements and signed by both AAMA and ALI.pdf</a>  <a href="#">FL5419_R4_C_CAC_SIM 07-09 DH Impact R50 53x76.pdf</a>  <b>Quality Assurance Contract Expiration Date</b>                  11/14/2011  <b>Installation Instructions</b>  <a href="#">FL5419_R4_IL_IN0364.pdf</a>                  Verified By: American Architectural Manufacturers Association                  Created by Independent Third Party:  <b>Evaluation Reports</b>                  Created by Independent Third Party:</p>
5419.14	07-20	07-20 StormBreaker Plus 300VL Vinyl, DH twin with PW stack
<p><b>Limits of Use</b>                  Approved for use in HVHZ: No                  Approved for use outside HVHZ: Yes                  Impact Resistant: Yes                  Design Pressure: +50/-50                  Other: 73x111 DH twin with PW stack Missile Impact Rating: (D) Large</p>		<p><b>Certification Agency Certificate</b>  <a href="#">FL5419_R4_C_CAC_5000 fin and J waiver of retest letter including casements and signed by both AAMA and ALI.pdf</a>  <a href="#">FL5419_R4_C_CAC_SIM 07-09 DH Impact R50 73x111.pdf</a>  <b>Quality Assurance Contract Expiration Date</b>                  04/08/2012  <b>Installation Instructions</b>  <a href="#">FL5419_R4_IL_IN0062 revised.pdf</a>                  Verified By: American Architectural Manufacturers Association                  Created by Independent Third Party:  <b>Evaluation Reports</b>                  Created by Independent Third Party:</p>
5419.15	07-20	07-20 StormBreaker Plus 300VL, Vinyl Double Hung
<p><b>Limits of Use</b>                  Approved for use in HVHZ: No                  Approved for use outside HVHZ: Yes                  Impact Resistant: Yes                  Design Pressure: +65/-65                  Other: 37x76 Missile Impact Rating: (D) Large</p>		<p><b>Certification Agency Certificate</b>  <a href="#">FL5419_R4_C_CAC_SIM 07-09 0710 0720 37x76 DH 101 506 R65.pdf</a>  <b>Quality Assurance Contract Expiration Date</b>                  10/25/2009  <b>Installation Instructions</b>  <a href="#">FL5419_R4_IL_IN0363.pdf</a></p>

Verified By: American Architectural Manufacturers Association Created by Independent Third Party: <b>Evaluation Reports</b> Created by Independent Third Party:
--

[Back](#)

[Next](#)

DCA Administration

**Department of Community Affairs**  
**Florida Building Code Online**  
**Codes and Standards**

2555 Shumard Oak Boulevard  
Tallahassee, Florida 32399-2100  
(850) 487-1824, Fax (850) 414-8436

© 2000-2005 The State of Florida. All rights reserved. [Copyright and Disclaimer](#)

Product Approval Accepts:

