



- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY



## Product Approval

**USER:** Patricia Robison, Simonton Windows, Product Manufacturer

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

FL #	FL5165-R1
Application Type	Revision
Code Version	2007
Application Status	Approved
Comments	
Archived	
Product Manufacturer	Simonton Windows
Address/Phone/Email	1 Cochrane Ave Pennsboro, WV 26415 (800) 746-6687 Ext 4825 patricia_robison@simonton.com
Authorized Signature	Patricia Robison patricia_robison@simonton.com
Technical Representative	Chuck Anderson
Address/Phone/Email	1 Cochran Ave. Pennsboro, WV 26415 (800) 746-6687 chuck_anderson@simonton.com
Quality Assurance Representative	Miami-Dade Building Code Compliance Office
Address/Phone/Email	140 West Flagler St. Suite 1603 Miami, FL 331301563 (305) 375-2901 ftldade@aol.com
Category	Windows

Subcategory Double Hung

Compliance Method Certification Mark or Listing

Certification Agency Miami-Dade BCCO - CER

Validated By

Referenced Standard and Year (of Standard)	<b>Standard</b>	<b>Year</b>
	Dade County Protocol	1994
	TAS 201	1994
	TAS 202	1994
	TAS 203	1994

Equivalence of Product Standards  
Certified By

Product Approval Method Method 1 Option A

Date Submitted 02/12/2008

Date Validated 02/14/2008

Date Pending FBC Approval 02/14/2008

Date Approved 03/18/2008

**Summary of Products**

FL #	Model, Number or Name	Description
5165.1	300VL stormBreaker Plus Vinyl DH	StormBreaker Plus 300VL Vinyl DH
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> +52.8/-52.8 <b>Other:</b> 53x71 See limitations of use listed in Notice of Acceptance (NOA) # 07-0309.07 Missile Impact rating: Large and Small.		<b>Certification Agency Certificate</b> <a href="#">FL5165_R1_C_CAC_07030907.pdf</a> <b>Quality Assurance Contract Expiration Date</b>  <b>Installation Instructions</b> <a href="#">FL5165_R1_II_07030907.pdf</a> Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: <b>Evaluation Reports</b> Created by Independent Third Party:

5165.2	300VL stormBreaker Plus Vinyl DH	StormBreaker Plus 300VL Vinyl DH
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> +60/-70 <b>Other:</b> 37x76 See limitations of use listed in Notice of Acceptance (NOA) # 07-0309.07 Missile Impact rating: Large and Small.		<b>Certification Agency Certificate</b> <a href="#">FL5165_R1_C_CAC_07030907.pdf</a> <b>Quality Assurance Contract Expiration Date</b>  <b>Installation Instructions</b> <a href="#">FL5165_R1_II_07030907.pdf</a> Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: <b>Evaluation Reports</b> Created by Independent Third Party:
5165.3	5500 stormBreaker Vinyl DH	5500,StormBreaker, Vinyl DH sold under the marketing name of StormBreaker 100VL
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> No <b>Design Pressure:</b> +65/-75 <b>Other:</b> 28x76 See limitations of use listed in Notice of Acceptance (NOA) # 03-0813.05 approved For use in HVHZ requiring the use of approved shutter system.		<b>Certification Agency Certificate</b> <a href="#">FL5165_R1_C_CAC_03081305.pdf</a> <b>Quality Assurance Contract Expiration Date</b>  <b>Installation Instructions</b> <a href="#">FL5165_R1_II_03081305.pdf</a> Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: <b>Evaluation Reports</b> Created by Independent Third Party:
5165.4	5500 stormBreaker Vinyl DH	5500,StormBreaker, Vinyl DH Fixed DH mulled assembly, sold under the marketing name of StormBreaker 100VL
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> No <b>Design Pressure:</b> +50/-60 <b>Other:</b> 112x76 See limitations of use listed in Notice of Acceptance (NOA) # 03-0813.05 approved For use in HVHZ requiring the use of approved shutter system.		<b>Certification Agency Certificate</b> <a href="#">FL5165_R1_C_CAC_03081305.pdf</a> <b>Quality Assurance Contract Expiration Date</b>  <b>Installation Instructions</b> <a href="#">FL5165_R1_II_03081305.pdf</a> Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: <b>Evaluation Reports</b> Created by Independent Third Party:
5165.5	5500 stormBreaker Vinyl DH	5500,StormBreaker, Vinyl DH sold under the marketing name of StormBreaker 100VL
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> No <b>Design Pressure:</b> +50/-50 <b>Other:</b> 53x71 See limitations of use listed in Notice of Acceptance (NOA) # 03-0813.05 approved For use in HVHZ requiring the use of approved shutter system.		<b>Certification Agency Certificate</b> <a href="#">FL5165_R1_C_CAC_03081305.pdf</a> <b>Quality Assurance Contract Expiration Date</b>  <b>Installation Instructions</b> <a href="#">FL5165_R1_II_03081305.pdf</a> Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: <b>Evaluation Reports</b> Created by Independent Third Party:

5165.6	5500 stormBreaker Vinyl DH	5500,StormBreaker, Vinyl DH sold under the marketing name of StormBreaker 100VL
<p><b>Limits of Use</b>  <b>Approved for use in HVHZ:</b> Yes  <b>Approved for use outside HVHZ:</b> Yes  <b>Impact Resistant:</b> No  <b>Design Pressure:</b> +65/-70  <b>Other:</b> 37x76 See limitations of use listed in Notice of Acceptance (NOA) # 03-0813.05 approved For use in HVHZ requiring the use of approved shutter system.</p>		<p><b>Certification Agency Certificate</b>  <a href="#">FL5165_R1_C_CAC_03081305.pdf</a>  <b>Quality Assurance Contract Expiration Date</b>    <b>Installation Instructions</b>  <a href="#">FL5165_R1_II_03081305.pdf</a>                  Verified By: Miami-Dade BCCO - CER                  Created by Independent Third Party:  <b>Evaluation Reports</b>                  Created by Independent Third Party:</p>
5165.7	5500 stormBreaker Vinyl DH	5500,StormBreaker, Vinyl DH sold under the marketing name of StormBreaker 100VL
<p><b>Limits of Use</b>  <b>Approved for use in HVHZ:</b> Yes  <b>Approved for use outside HVHZ:</b> Yes  <b>Impact Resistant:</b> No  <b>Design Pressure:</b> +55/-65  <b>Other:</b> 37x72 See limitations of use listed in Notice of Acceptance (NOA) # 03-0813.05 approved For use in HVHZ requiring the use of approved shutter system.</p>		<p><b>Certification Agency Certificate</b>  <a href="#">FL5165_R1_C_CAC_03081305.pdf</a>  <b>Quality Assurance Contract Expiration Date</b>    <b>Installation Instructions</b>  <a href="#">FL5165_R1_II_03081305.pdf</a>                  Verified By: Miami-Dade BCCO - CER                  Created by Independent Third Party:  <b>Evaluation Reports</b>                  Created by Independent Third Party:</p>

[Back](#) [Next](#)

DCA Administration  
**Department of Community Affairs**  
**Florida Building Code Online**  
**Codes and Standards**

2555 Shumard Oak Boulevard  
 Tallahassee, Florida 32399-2100  
 (850) 487-1824, Fax (850) 414-8436

© 2000-2005 The State of Florida. All rights reserved. [Copyright and Disclaimer](#)

**Product Approval Accepts:**

