



- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY



Product Approval

USER: Patricia Robison, Simonton Windows, Product Manufacturer

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

FL #	FL57-R3
Application Type	Revision
Code Version	2007
Application Status	Approved
Comments	
Archived	
Product Manufacturer	Simonton Windows
Address/Phone/Email	1 Cochrane Ave Pennsboro, WV 26415 (800) 746-6687 Ext 4825 patricia_robison@simonton.com
Authorized Signature	Patricia Robison patricia_robison@simonton.com
Technical Representative	Patricia Robison
Address/Phone/Email	1 Cochrane Dr Pennsboro, WV 26415 (304) 659-2903 Ext 4825 patricia_robison@simonton.com
Quality Assurance Representative	AAMA
Address/Phone/Email	1827 Walden Office Square Suite 550 Schaumburg, IL 60173 (847) 303-5664 webmaster@aamanet.org
Category	Windows

Subcategory: Awning

Compliance Method: Certification Mark or Listing

Certification Agency: American Architectural Manufacturers Association

Validated By: American Architectural Manufacturers Association

Referenced Standard and Year (of Standard)	Standard	Year
	AAMA 506	2006
	AAMA/WDMA/CSA 101/I.S.2/A440	2005
	ASTM E 1886	2005
	ASTM E 1996	2005

Equivalence of Product Standards Certified By

Product Approval Method: Method 1 Option A

Date Submitted: 12/30/2008

Date Validated: 02/13/2009

Date Pending FBC Approval: 02/17/2009

Date Approved: 04/07/2009

Summary of Products

FL #	Model, Number or Name	Description
57.1	08-09	08-09 StormBreaker Plus 300VL vinyl Awning
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +55/-55 Other: 53x26 Missile Impact Rating: Large		Certification Agency Certificate FL57_R3_C_CAC_SIM 08-09 08-20 A Impact 53x26.pdf Quality Assurance Contract Expiration Date 02/12/2012 Installation Instructions FL57_R3_II_IN0368.pdf Verified By: American Architectural Manufacturers Association Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:

57.2	08-10 waives to the 08-09	08-10 StormBreaker Plus 300VL Vinyl Awning 08-10 waives to 08-09 see attached waiver
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +55/-55 Other: 53x26 Missile Impact Rating: Large		Certification Agency Certificate FL57_R3_C_CAC_5000 fin and J waiver of retest letter including casements and signed by both AAMA and ALI.pdf FL57_R3_C_CAC_SIM 08-09 08-20 A Impact 53x26.pdf Quality Assurance Contract Expiration Date 02/12/2012 Installation Instructions FL57_R3_II_IN0368.pdf Verified By: American Architectural Manufacturers Association Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
57.3	08-20	08-20 StormBreaker Plus 300VL Vinyl Awning.
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +55/-55 Other: 53x26 Missile Impact Rating: Large		Certification Agency Certificate FL57_R3_C_CAC_SIM 08-09 08-20 A Impact 53x26.pdf Quality Assurance Contract Expiration Date 02/12/2012 Installation Instructions FL57_R3_II_IN0368.pdf Verified By: American Architectural Manufacturers Association Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:

[Back](#) [Next](#)

DCA Administration
 Department of Community Affairs
 Florida Building Code Online
 Codes and Standards
 2555 Shumard Oak Boulevard
 Tallahassee, Florida 32399-2100
 (850) 487-1824, Fax (850) 414-8436

© 2000-2005 The State of Florida. All rights reserved. [Copyright and Disclaimer](#)

Product Approval Accepts:

