



- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY



Product Approval

USER: Patricia Robison, Simonton Windows, Product Manufacturer

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

FL #	FL224-R3
Application Type	Revision
Code Version	2007
Application Status	Approved
Comments	
Archived	
Product Manufacturer	Simonton Windows
Address/Phone/Email	1 Cochrane Ave Pennsboro, WV 26415 (800) 746-6687 Ext 4825 patricia_robison@simonton.com
Authorized Signature	Patricia Robison patricia_robison@simonton.com
Technical Representative	Patricia Robison
Address/Phone/Email	1 Cochrane Dr Pennsboro, WV 26415 (304) 659-2903 Ext 4825 patricia_robison@simonton.com
Quality Assurance Representative	AAMA
Address/Phone/Email	1827 Walden Office Square Suite 550 Schaumburg, IL 60173 (847) 303-5664 webmaster@amaanet.org
Category	Windows

Subcategory Casement

Compliance Method Certification Mark or Listing

Certification Agency American Architectural Manufacturers Association
Validated By American Architectural Manufacturers Association

Referenced Standard and Year (of Standard)	<u>Standard</u>	<u>Year</u>
	AAMA 506	2006
	AAMA/WDMA/CSA 101/I.S.2/A440	2005
	ASTM E 1886	2005
	ASTM E 1996	2005

Equivalence of Product Standards
Certified By

Product Approval Method Method 1 Option A

Date Submitted 12/30/2008
Date Validated 02/09/2009
Date Pending FBC Approval 02/19/2009
Date Approved 04/07/2009

Summary of Products		
FL #	Model, Number or Name	Description
224.1	08-09, 08-10, 08-20	08-09, 08-10, 08-20 StormBreaker Plus 300VL, Vinyl Casement

<p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +50/-50 Other: 60x65 H-Mulled twin Missile Impact Rating: Large</p>		<p>Certification Agency Certificate FL224_R3_C_CAC_5000 fin and J waiver of retest letter including casements and signed by both AAMA and ALI.pdf FL224_R3_C_CAC_SIM 08-09 08-20 C Impact 60x65.pdf Quality Assurance Contract Expiration Date 09/26/2010 Installation Instructions FL224_R3_II_IN0376.pdf Verified By: American Architectural Manufacturers Association Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:</p>
<p>224.2</p>	<p>08-09, 08-10, 08-20</p>	<p>08-09, 08-10, 08-20 StormBreaker Plus 300VL, Vinyl Casement</p>
<p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +55/-55 Other: 36x50 30x65</p>		<p>Certification Agency Certificate FL224_R3_C_CAC_5000 fin and J waiver of retest letter including casements and signed by both AAMA and ALI.pdf FL224_R3_C_CAC_SIM 08-09 C Impact 30x65.pdf FL224_R3_C_CAC_SIM 08-09 C Impact 36x50.pdf Quality Assurance Contract Expiration Date 10/26/2010 Installation Instructions FL224_R3_II_IN0369.pdf Verified By: American Architectural Manufacturers Association Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:</p>

[Back](#) [Next](#)

DCA Administration
 Department of Community Affairs
 Florida Building Code Online
 Codes and Standards
 2555 Shumard Oak Boulevard
 Tallahassee, Florida 32399-2100
 (850) 487-1824, Fax (850) 414-8436

© 2000-2005 The State of Florida. All rights reserved. [Copyright and Disclaimer](#)

Product Approval Accepts:

