



- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY



Product Approval

USER: Patricia Robison, Simonton Windows, Product Manufacturer

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

FL #	FL12119
Application Type	New
Code Version	2007
Application Status	Approved
Comments	
Archived	
Product Manufacturer	Simonton Windows
Address/Phone/Email	1 Cochrane Ave Pennsboro, WV 26415 (800) 746-6687 Ext 4825 patricia_robison@simonton.com
Authorized Signature	Patricia Robison patricia_robison@simonton.com
Technical Representative	Patricia Robison
Address/Phone/Email	1 Cochrane Dr Pennsboro, WV 26415 (304) 659-2903 Ext 4825 patricia_robison@simonton.com
Quality Assurance Representative	AAMA
Address/Phone/Email	1827 Walden Office Square Suite 550 Schaumburg, IL 60173 (847) 303-5664 webmaster@aamanet.org
Category	Windows

Subcategory	Mullions																
Compliance Method	Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer Evaluation Report - Hardcopy Received																
Florida Engineer or Architect Name who developed the Evaluation Report	Nimesh Bhavsar																
Florida License	PE-56861																
Quality Assurance Entity	Architectural Testing, Inc.																
Quality Assurance Contract Expiration Date	12/31/2011																
Validated By	Manhar K Jadav, P.E. Validation Checklist - Hardcopy Received																
Certificate of Independence	FL12119_R0_COI_Nimesh COI - mullion.pdf																
Referenced Standard and Year (of Standard)	<table border="0"> <thead> <tr> <th style="text-align: left;"><u>Standard</u></th> <th style="text-align: left;"><u>Year</u></th> </tr> </thead> <tbody> <tr> <td>AAMA/WDMA/CSA 101/I.S.2/A440</td> <td>2005</td> </tr> <tr> <td>ANSI/AAMA/NWWDA101/I.S.2</td> <td>1997</td> </tr> <tr> <td>ASTM E 1886</td> <td>2005</td> </tr> <tr> <td>ASTM E 1996</td> <td>2006</td> </tr> <tr> <td>TAS 201</td> <td>1994</td> </tr> <tr> <td>TAS 202</td> <td>1994</td> </tr> <tr> <td>TAS 203</td> <td>1994</td> </tr> </tbody> </table>	<u>Standard</u>	<u>Year</u>	AAMA/WDMA/CSA 101/I.S.2/A440	2005	ANSI/AAMA/NWWDA101/I.S.2	1997	ASTM E 1886	2005	ASTM E 1996	2006	TAS 201	1994	TAS 202	1994	TAS 203	1994
<u>Standard</u>	<u>Year</u>																
AAMA/WDMA/CSA 101/I.S.2/A440	2005																
ANSI/AAMA/NWWDA101/I.S.2	1997																
ASTM E 1886	2005																
ASTM E 1996	2006																
TAS 201	1994																
TAS 202	1994																
TAS 203	1994																
Equivalence of Product Standards Certified By	Florida Licensed Professional Engineer or Architect FL12119_R0_Equiv_stormbreaker equval.pdf																
Sections from the Code																	
Product Approval Method	Method 1 Option D																
Date Submitted	02/25/2009																
Date Validated	03/06/2009																
Date Pending FBC Approval	03/11/2009																
Date Approved	04/07/2009																

Summary of Products		
FL #	Model, Number or Name	Description
12119.1	Impact resistant Mullions with Large reinforcement	StormBreaker Plus 300VL Impact resistant Mullion with Large reinforcement
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +120/-120 Other: multiple Design Pressure See Product evaluation and installation details for Pressure Charts Missile Impact rating: Large		Installation Instructions FL12119_RO_II_Simonton_Stormbreaker_Large_Mullion_DWG_No_HVHZ.pdf Verified By: Nimesh J. Bhavsar P.E 56861 Created by Independent Third Party: Yes Evaluation Reports FL12119_RO_AE_NImesh COI - mullion.pdf FL12119_RO_AE_Simonton 300 large mullion eval 30609.pdf Created by Independent Third Party: Yes
12119.2	Impact resistant Mullions with Medium reinforcement	StormBreaker Plus 300VL Impact resistant Mullion with Medium reinforcement
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +120/-120 Other: multiple Design Pressure See Product evaluation and installation details for Pressure Charts, Missile Impact rating: Large		Installation Instructions FL12119_RO_II_SIMONTON 20634 - mullion DWG.pdf Verified By: Nimesh J. Bhavsar P.E 56861 Created by Independent Third Party: Yes Evaluation Reports FL12119_RO_AE_NImesh COI - mullion.pdf FL12119_RO_AE_simonton 300 med mullion eval 30609.pdf Created by Independent Third Party: Yes

[Back](#) [Next](#)

DCA Administration
Department of Community Affairs
Florida Building Code Online
Codes and Standards
 2555 Shumard Oak Boulevard
 Tallahassee, Florida 32399-2100
 (850) 487-1824, Fax (850) 414-8436

© 2000-2005 The State of Florida. All rights reserved. [Copyright and Disclaimer](#)

Product Approval Accepts:

