



- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY



Product Approval

USER: Patricia Robison, Simonton Windows, Product Manufacturer

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

FL #	FL228-R5
Application Type	Revision
Code Version	2007
Application Status	Approved
Comments	
Archived	
Product Manufacturer	Simonton Windows
Address/Phone/Email	1 Cochrane Ave Pennsboro, WV 26415 (800) 746-6687 Ext 4825 patricia_robison@simonton.com
Authorized Signature	Patricia Robison patricia_robison@simonton.com
Technical Representative	Patricia Robison
Address/Phone/Email	1 Cochrane Dr Pennsboro, WV 26415 (304) 659-2903 Ext 4825 patricia_robison@simonton.com
Quality Assurance Representative	AAMA
Address/Phone/Email	1827 Walden Office Square Suite 550 Schaumburg, IL 60173 (847) 303-5664 webmaster@amaanet.org
Category	Windows

Subcategory Fixed

Compliance Method Certification Mark or Listing

Certification Agency American Architectural Manufacturers Association
Validated By American Architectural Manufacturers Association

Referenced Standard and Year (of Standard)	Standard	Year
	AAMA/WDMA/CSA 101/I.S.2 A440	2005
	ANSI/AAMA/NWWDA101/I.S.2	1997
	ASTM E 1886	2005
	ASTM E 1996	2005

Equivalence of Product Standards
Certified By

Product Approval Method Method 1 Option A

Date Submitted 09/05/2008
Date Validated 09/10/2008
Date Pending FBC Approval 09/15/2008
Date Approved 10/14/2008

Summary of Products		
FL #	Model, Number or Name	Description
228.1	07-09	07-09, 300 VL StormBreaker Plus Vinyl Fixed (Picture Window)
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +55/-55 Other: 74x63 Missile Impact Rating: Large		Certification Agency Certificate FL228_R5_C_CAC_SIM 07-09 PW R55 74x63 Impact new 908.pdf Quality Assurance Contract Expiration Date 09/23/2009 Installation Instructions FL228_R5_II_IN0322.pdf Verified By: American Architectural Manufacturers Association Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:

228.2	07-09	07-09, 300VL StormBreaker Plus, vinyl Fixed
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +50/-50 Other: 37x84 Missile Impact Rating: Large		Certification Agency Certificate FL228_R5_C_CAC_SIM 07-09 PW Impact 37x84 DP50 A440 05.pdf Quality Assurance Contract Expiration Date 10/14/2009 Installation Instructions FL228_R5_II_IN0086.pdf Verified By: American Architectural Manufacturers Association Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
228.3	07-10 waives to 07-09 see attached waiver	07-10 300VL StormBreaker Plus Vinyl Fixed
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +55/-55 Other: 74x63 Missile Impact Rating: Large		Certification Agency Certificate FL228_R5_C_CAC_5000 fin and J waiver of retest letter including casements and signed by both AAMA and ALI.pdf FL228_R5_C_CAC_SIM 07-09 PW R55 74x63 Impact new 908.pdf Quality Assurance Contract Expiration Date 09/23/2009 Installation Instructions FL228_R5_II_IN0322.pdf Verified By: American Architectural Manufacturers Association Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
228.4	07-10 waives to 07-09 see attached waiver	07-10 300VL StormBreaker Plus Vinyl Fixed
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +50/-50 Other: 37x84 Missile Impact Rating: Large		Certification Agency Certificate FL228_R5_C_CAC_5000 fin and J waiver of retest letter including casements and signed by both AAMA and ALI.pdf FL228_R5_C_CAC_SIM 07-09 PW Impact 37x84 DP50.pdf Quality Assurance Contract Expiration Date 10/14/2009 Installation Instructions FL228_R5_II_IN0086.pdf Verified By: American Architectural Manufacturers Association Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
228.5	07-20 waives to the 07-09 See attached waiver	07-20 300VL StormBreaker Plus Vinyl Fixed

<p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +50/-50 Other: 37x84, Missile Impact Rating: Large</p>	<p>Certification Agency Certificate FL228_R5_C_CAC_5000 fin and J waiver of retest letter including casements and signed by both AAMA and ALI.pdf FL228_R5_C_CAC_SIM 07-09 PW Impact 37x84 DP50.pdf Quality Assurance Contract Expiration Date 10/14/2009 Installation Instructions FL228_R5_II_IN0086.pdf Verified By: American Architectural Manufacturers Association Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:</p>	
<p>228.6</p>	<p>07-20 waives to the 07-09 See attached waiver</p>	<p>07-20 300VL StormBreaker Plus Vinyl Fixed</p>
<p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +55/-55 Other: 74x63 Missile Impact Rating: Large</p>	<p>Certification Agency Certificate FL228_R5_C_CAC_5000 fin and J waiver of retest letter including casements and signed by both AAMA and ALI.pdf FL228_R5_C_CAC_SIM 07-09 PW R55 74x63 Impact new 908.pdf Quality Assurance Contract Expiration Date 09/23/2009 Installation Instructions FL228_R5_II_IN0322.pdf Verified By: American Architectural Manufacturers Association Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:</p>	

[Back](#) [Next](#)

[DCA Administration](#)
Department of Community Affairs
Florida Building Code Online
Codes and Standards
 2555 Shumard Oak Boulevard
 Tallahassee, Florida 32399-2100
 (850) 487-1824, Fax (850) 414-8436

© 2000-2005 The State of Florida. All rights reserved. [Copyright and Disclaimer](#)

Product Approval Accepts:

