



TABLE OF CONTENTS

Bypass Door Information

Configurations	3
Standard Stacking	4
Standard Size Information	5-6
Clear Opening Formulas	6

Bi-parting Door Information

Configurations	7
Standard Stacking	7
Standard Size Information.....	8
Clear Opening Formulas.....	9

Pocket Door Information

Configurations	10-11
Standard Stacking	12
Standard Size Information	13-14
Clear Opening Formulas	15


Additional Information

2, 3 and 4 Track Sill Details	16
Sill Riser Options	17
Nailing Fin Option	17
2-Panel Section Details	18
3-Panel Section Details	19
4-Panel Section Details	20


Product specifications are subject to change without notice.

BYPASS DOOR CONFIGURATIONS


2-Panel
2-Track



3-Panel
3-Track



4-Panel
4-Track



Product specifications are subject to change without notice.

BYPASS DOOR STANDARD STACKING

↑ Exterior / Interior ↓	Configuration	Standard Stacking
	XO (2P2T)	
	OX (2P2T)	
	XX (2P2T)	
	XXO (3P3T)	
	OXX (3P3T)	
	XXX (3P3T)	
	XXXO (4P4T)	
	OXXX (4P4T)	
	XXXX (4P4T)	

Product specifications are subject to change without notice.

BYPASS DOOR SIZE INFORMATION

XO, OX or XX 2-Panel, Bypass

Call Size			Frame Size (in)			Rough Opening (in)			Panel Size (in)			Clear Opening			Daylight	
W	x	H	W	x	H	W	x	H	W	x	H	W	x	H*	Sq. Ft.	Sq. Ft.
5-0	x	6-8	57 1/4	x	79 1/2	57 3/4	x	79 3/4	30	x	77 1/16	18.59	x	75.25	9.72	19.77
5-0	x	8-0	57 1/4	x	95 1/2	57 3/4	x	95 3/4	30	x	93 1/16	18.59	x	91.25	11.78	24.41
5-0	x	10-0	57 1/4	x	119 1/2	57 3/4	x	119 3/4	30	x	117 1/16	18.59	x	115.25	14.88	31.37
6-0	x	6-8	69 1/4	x	79 1/2	69 3/4	x	79 3/4	36	x	77 1/16	24.59	x	75.25	12.85	25.45
6-0	x	8-0	69 1/4	x	95 1/2	69 3/4	x	95 3/4	36	x	93 1/16	24.59	x	91.25	15.58	31.42
6-0	x	10-0	69 1/4	x	119 1/2	69 3/4	x	119 3/4	36	x	117 1/16	24.59	x	115.25	19.68	40.38
8-0	x	6-8	93 1/4	x	79 1/2	93 3/4	x	79 3/4	48	x	77 1/16	36.59	x	75.25	19.12	36.82
8-0	x	8-0	93 1/4	x	95 1/2	93 3/4	x	95 3/4	48	x	93 1/16	36.59	x	91.25	23.19	45.46
8-0	x	10-0	93 1/4	x	119 1/2	93 3/4	x	119 3/4	48	x	117 1/16	36.59	x	115.25	29.29	58.41
10-0	x	6-8	117 1/4	x	79 1/2	117 3/4	x	79 3/4	60	x	77 1/16	48.59	x	75.25	25.39	48.18
10-0	x	8-0	117 1/4	x	95 1/2	117 3/4	x	95 3/4	60	x	93 1/16	48.59	x	91.25	30.79	59.49

XXO or OXX 3-Panel, Bypass

Call Size			Frame Size (in)			Rough Opening (in)			Panel Size (in)			Clear Opening			Daylight	
W	x	H	W	x	H	W	x	H	W	x	H	W	x	H*	Sq. Ft.	Sq. Ft.
7-6	x	6-8	83 1/4	x	79 1/2	83 3/4	x	79 3/4	30	x	77 1/16	43.51	x	75.25	22.74	29.65
7-6	x	8-0	83 1/4	x	95 1/2	83 3/4	x	95 3/4	30	x	93 1/16	43.51	x	91.25	27.57	36.61
7-6	x	10-0	83 1/4	x	119 1/2	83 3/4	x	119 3/4	30	x	117 1/16	43.51	x	115.25	34.82	47.05
9-0	x	6-8	101 1/4	x	79 1/2	101 3/4	x	79 3/4	36	x	77 1/16	55.51	x	75.25	29.01	38.18
9-0	x	8-0	101 1/4	x	95 1/2	101 3/4	x	95 3/4	36	x	93 1/16	55.51	x	91.25	35.18	47.14
9-0	x	10-0	101 1/4	x	119 1/2	101 3/4	x	119 3/4	36	x	117 1/16	55.51	x	115.25	44.43	60.57
12-0	x	6-8	137 1/4	x	79 1/2	137 3/4	x	79 3/4	48	x	77 1/16	79.51	x	75.25	41.55	55.22
12-0	x	8-0	137 1/4	x	95 1/2	137 3/4	x	95 3/4	48	x	93 1/16	79.51	x	91.25	50.39	68.18
12-0	x	10-0	137 1/4	x	119 1/2	137 3/4	x	119 3/4	48	x	117 1/16	79.51	x	115.25	63.64	87.62
15-0	x	6-8	173 1/4	x	79 1/2	173 3/4	x	79 3/4	60	x	77 1/16	103.51	x	75.25	54.09	72.27
15-0	x	8-0	173 1/4	x	95 1/2	173 3/4	x	95 3/4	60	x	93 1/16	103.51	x	91.25	65.59	89.23

XXX 3-Panel, Bypass

Call Size			Frame Size (in)			Rough Opening (in)			Panel Size (in)			Clear Opening			Daylight	
W	x	H	W	x	H	W	x	H	W	x	H	W	x	H*	Sq. Ft.	Sq. Ft.
7-6	x	6-8	83 1/4	x	79 1/2	83 3/4	x	79 3/4	30	x	77 1/16	38.31	x	75.25	20.02	29.65
7-6	x	8-0	83 1/4	x	95 1/2	83 3/4	x	95 3/4	30	x	93 1/16	38.31	x	91.25	24.28	36.61
7-6	x	10-0	83 1/4	x	119 1/2	83 3/4	x	119 3/4	30	x	117 1/16	38.31	x	115.25	30.66	47.05
9-0	x	6-8	101 1/4	x	79 1/2	101 3/4	x	79 3/4	36	x	77 1/16	50.31	x	75.25	26.29	38.18
9-0	x	8-0	101 1/4	x	95 1/2	101 3/4	x	95 3/4	36	x	93 1/16	50.31	x	91.25	31.88	47.14
9-0	x	10-0	101 1/4	x	119 1/2	101 3/4	x	119 3/4	36	x	117 1/16	50.31	x	115.25	40.27	60.57
12-0	x	6-8	137 1/4	x	79 1/2	137 3/4	x	79 3/4	48	x	77 1/16	74.31	x	75.25	38.83	55.22
12-0	x	8-0	137 1/4	x	95 1/2	137 3/4	x	95 3/4	48	x	93 1/16	74.31	x	91.25	47.09	68.18
12-0	x	10-0	137 1/4	x	119 1/2	137 3/4	x	119 3/4	48	x	117 1/16	74.31	x	115.25	59.48	87.62
15-0	x	6-8	173 1/4	x	79 1/2	173 3/4	x	79 3/4	60	x	77 1/16	98.31	x	75.25	51.37	72.27
15-0	x	8-0	173 1/4	x	95 1/2	173 3/4	x	95 3/4	60	x	93 1/16	98.31	x	91.25	62.30	89.23

* Based on standard 2-1/2" sill riser

See page 6 for additional clear opening formulas

Calculations based on panel followers being installed per the installation instructions

Product specifications are subject to change without notice.

BYPASS DOOR SIZE INFORMATION AND CLEAR OPENING FORMULAS

XXXO or OXXX 4-Panel, Bypass

Call Size			Frame Size (in)			Rough Opening (in)			Panel Size (in)			Clear Opening			Daylight	
W	x	H	W	x	H	W	x	H	W	x	H	W	x	H*	Sq. Ft.	Sq. Ft.
10-0	x	6-8	109 1/4	x	79 1/2	109 3/4	x	79 3/4	30	x	77 1/16	69.47	x	75.25	36.30	39.54
10-0	x	8-0	109 1/4	x	95 1/2	109 3/4	x	95 3/4	30	x	93 1/16	69.47	x	91.25	44.02	48.82
10-0	x	10-0	109 1/4	x	119 1/2	109 3/4	x	119 3/4	30	x	117 1/16	69.47	x	115.25	55.60	62.73
12-0	x	6-8	133 1/4	x	79 1/2	133 3/4	x	79 3/4	36	x	77 1/16	87.47	x	75.25	45.71	50.90
12-0	x	8-0	133 1/4	x	95 1/2	133 3/4	x	95 3/4	36	x	93 1/16	87.47	x	91.25	55.43	62.85
12-0	x	10-0	133 1/4	x	119 1/2	133 3/4	x	119 3/4	36	x	117 1/16	87.47	x	115.25	70.00	80.76
16-0	x	6-8	181 1/4	x	79 1/2	181 3/4	x	79 3/4	48	x	77 1/16	123.47	x	75.25	64.52	73.63
16-0	x	8-0	181 1/4	x	95 1/2	181 3/4	x	95 3/4	48	x	93 1/16	123.47	x	91.25	78.24	90.91
16-0	x	10-0	181 1/4	x	119 1/2	181 3/4	x	119 3/4	48	x	117 1/16	123.47	x	115.25	98.82	116.83
20-0	x	6-8	229 1/4	x	79 1/2	229 3/4	x	79 3/4	60	x	77 1/16	159.47	x	75.25	83.33	96.36
20-0	x	8-0	229 1/4	x	95 1/2	229 3/4	x	95 3/4	60	x	93 1/16	159.47	x	91.25	101.05	118.97

XXXX 4-Panel, Bypass

Call Size			Frame Size (in)			Rough Opening (in)			Panel Size (in)			Clear Opening			Daylight	
W	x	H	W	x	H	W	x	H	W	x	H	W	x	H*	Sq. Ft.	Sq. Ft.
10-0	x	6-8	109 1/4	x	79 1/2	109 3/4	x	79 3/4	30	x	77 1/16	57.97	x	75.25	30.29	39.54
10-0	x	8-0	109 1/4	x	95 1/2	109 3/4	x	95 3/4	30	x	93 1/16	57.97	x	91.25	36.73	48.82
10-0	x	10-0	109 1/4	x	119 1/2	109 3/4	x	119 3/4	30	x	117 1/16	57.97	x	115.25	46.39	62.73
12-0	x	6-8	133 1/4	x	79 1/2	133 3/4	x	79 3/4	36	x	77 1/16	75.97	x	75.25	39.70	50.90
12-0	x	8-0	133 1/4	x	95 1/2	133 3/4	x	95 3/4	36	x	93 1/16	75.97	x	91.25	48.14	62.85
12-0	x	10-0	133 1/4	x	119 1/2	133 3/4	x	119 3/4	36	x	117 1/16	75.97	x	115.25	60.80	80.76
16-0	x	6-8	181 1/4	x	79 1/2	181 3/4	x	79 3/4	48	x	77 1/16	111.97	x	75.25	58.51	73.63
16-0	x	8-0	181 1/4	x	95 1/2	181 3/4	x	95 3/4	48	x	93 1/16	111.97	x	91.25	70.95	90.91
16-0	x	10-0	181 1/4	x	119 1/2	181 3/4	x	119 3/4	48	x	117 1/16	111.97	x	115.25	89.61	116.83
20-0	x	6-8	229 1/4	x	79 1/2	229 3/4	x	79 3/4	60	x	77 1/16	147.97	x	75.25	77.32	96.36
20-0	x	8-0	229 1/4	x	95 1/2	229 3/4	x	95 3/4	60	x	93 1/16	147.97	x	91.25	93.76	118.97

* Based on standard 2-1/2" sill riser

See below for additional clear opening formulas

Calculations based on panel followers being installed per the installation instructions

Clear Opening Height	No Sill Riser	2-1/2" Sill Riser	3-1/2" Sill Riser	4" Sill Riser
All Configurations	FH - 3.50"	FH - 4.25"	FH - 5.25"	FH - 5.75"

Clear Opening Width - Bypass Doors			
2-Panel	2-Track	XX / XO / OX	(FW/2)-10.031"
3-Panel	3-Track	XXX	(FW/3)*2 - 17.188"
		XXO / OXX	(FW/3)*2 - 11.988"
4-Panel	4-Track	XXXX	(FW/4)*3 - 23.938"
		XXXO / OXXXX	(FW/4)*3 - 12.470"


* Calculations based on panel followers being installed per the installation instructions

FH = Frame height, FW = Frame width


Product specifications are subject to change without notice.

BI-PART DOOR CONFIGURATIONS AND STANDARD STACKING


3-Panel
2-Track



4-Panel
3-Track



6-Panel
3-Track



Exterior / Interior	Configuration	Standard Stacking
	OX-O (3P2T)	
	O-XO (3P2T)	
	OXXO (4P2T)	
	OXXXXO (6P3T)	

Product specifications are subject to change without notice.

BI-PARTING DOOR SIZE INFORMATION

OXO 3-Panel, Bi-parting

Call Size			Frame Size (in)			Rough Opening (in)			Panel Size (in)			Clear Opening		Daylight
W	x	H	W	x	H	W	x	H	W	x	H	W	x	Sq. Ft.
7-6	x	6-8	87 13/16	x	79 1/2	88 5/16	x	79 3/4	30	x	77 1/16	18.62	x	9.73
7-6	x	8-0	87 13/16	x	95 1/2	88 5/16	x	95 3/4	30	x	93 1/16	18.62	x	11.80
7-6	x	10-0	87 13/16	x	119 1/2	88 5/16	x	119 3/4	30	x	117 1/16	18.62	x	14.90
9-0	x	6-8	105 13/16	x	79 1/2	106 5/16	x	79 3/4	36	x	77 1/16	24.62	x	12.86
9-0	x	8-0	105 13/16	x	95 1/2	106 5/16	x	95 3/4	36	x	93 1/16	24.62	x	15.60
9-0	x	10-0	105 13/16	x	119 1/2	106 5/16	x	119 3/4	36	x	117 1/16	24.62	x	19.70
12-0	x	6-8	141 13/16	x	79 1/2	142 5/16	x	79 3/4	48	x	77 1/16	36.62	x	19.13
12-0	x	8-0	141 13/16	x	95 1/2	142 5/16	x	95 3/4	48	x	93 1/16	36.62	x	23.20
12-0	x	10-0	141 13/16	x	119 1/2	142 5/16	x	119 3/4	48	x	117 1/16	36.62	x	29.31
15-0	x	6-8	177 13/16	x	79 1/2	178 5/16	x	79 3/4	60	x	77 1/16	48.62	x	25.41
15-0	x	8-0	177 13/16	x	95 1/2	178 5/16	x	95 3/4	60	x	93 1/16	48.62	x	30.81

OXO 4-Panel, Bi-parting

Call Size			Frame Size (in)			Rough Opening (in)			Panel Size (in)			Clear Opening		Daylight
W	x	H	W	x	H	W	x	H	W	x	H	W	x	Sq. Ft.
10-0	x	6-8	113 13/16	x	79 1/2	114 5/16	x	79 3/4	30	x	77 1/16	38.47	x	20.10
10-0	x	8-0	113 13/16	x	95 1/2	114 5/16	x	95 3/4	30	x	93 1/16	38.47	x	24.38
10-0	x	10-0	113 13/16	x	119 1/2	114 5/16	x	119 3/4	30	x	117 1/16	38.47	x	30.79
12-0	x	6-8	137 13/16	x	79 1/2	138 5/16	x	79 3/4	36	x	77 1/16	50.47	x	26.37
12-0	x	8-0	137 13/16	x	95 1/2	138 5/16	x	95 3/4	36	x	93 1/16	50.47	x	31.98
12-0	x	10-0	137 13/16	x	119 1/2	138 5/16	x	119 3/4	36	x	117 1/16	50.47	x	40.39
16-0	x	6-8	185 13/16	x	79 1/2	186 5/16	x	79 3/4	48	x	77 1/16	74.47	x	38.91
16-0	x	8-0	185 13/16	x	95 1/2	186 5/16	x	95 3/4	48	x	93 1/16	74.47	x	47.19
16-0	x	10-0	185 13/16	x	119 1/2	186 5/16	x	119 3/4	48	x	117 1/16	74.47	x	59.60
20-0	x	6-8	233 13/16	x	79 1/2	234 5/16	x	79 3/4	60	x	77 1/16	98.47	x	51.46
20-0	x	8-0	233 13/16	x	95 1/2	234 5/16	x	95 3/4	60	x	93 1/16	98.47	x	62.40

OXO 6-Panel, Bi-parting

Call Size			Frame Size (in)			Rough Opening (in)			Panel Size (in)			Clear Opening		Daylight
W	x	H	W	x	H	W	x	H	W	x	H	W	x	Sq. Ft.
15-0	x	6-8	165 13/16	x	79 1/2	166 5/16	x	79 3/4	30	x	77 1/16	88.42	x	46.20
15-0	x	8-0	165 13/16	x	95 1/2	166 5/16	x	95 3/4	30	x	93 1/16	88.42	x	56.03
15-0	x	10-0	165 13/16	x	119 1/2	166 5/16	x	119 3/4	30	x	117 1/16	88.42	x	70.76
18-0	x	6-8	201 13/16	x	79 1/2	202 5/16	x	79 3/4	36	x	77 1/16	112.42	x	58.75
18-0	x	8-0	201 13/16	x	95 1/2	202 5/16	x	95 3/4	36	x	93 1/16	112.42	x	71.24
18-0	x	10-0	201 13/16	x	119 1/2	202 5/16	x	119 3/4	36	x	117 1/16	112.42	x	89.97
24-0	x	6-8	273 13/16	x	79 1/2	274 5/16	x	79 3/4	48	x	77 1/16	160.42	x	83.83
24-0	x	8-0	273 13/16	x	95 1/2	274 5/16	x	95 3/4	48	x	93 1/16	160.42	x	101.65
24-0	x	10-0	273 13/16	x	119 1/2	274 5/16	x	119 3/4	48	x	117 1/16	160.42	x	128.39
30-0	x	6-8	345 13/16	x	79 1/2	346 5/16	x	79 3/4	60	x	77 1/16	208.42	x	108.91
30-0	x	8-0	345 13/16	x	95 1/2	346 5/16	x	95 3/4	60	x	93 1/16	208.42	x	132.07

* Based on standard 2-1/2" sill riser

See page 9 for additional clear opening formulas

Calculations based on panel followers being installed per the installation instructions

Product specifications are subject to change without notice.

BI-PARTING DOOR CLEAR OPENING FORMULAS


Clear Opening Height	No Sill Riser	2-1/2" Sill Riser	3-1/2" Sill Riser	4" Sill Riser
All Configurations	FH - 3.50"	FH - 4.25"	FH - 5.25"	FH - 5.75"

Clear Opening Width - Bi-part Doors			
3-Panel	2-Track	OXO	$(FW/3) - 10.654"$
4-Panel	2-Track	OXXO	$(FW/3) * 2 - 17.188"$
6-Panel	3-Track	OXXXXO	$(FW/4) * 3 - 23.938"$


* Calculations based on panel followers being installed per the installation instructions
 FH = Frame height, FW = Frame width

POCKET DOOR CONFIGURATIONS


1-Panel
2-Track




2-Panel
2-Track



3-Panel
3-Track




4-Panel
2-Track




Product specifications are subject to change without notice.

POCKET DOOR CONFIGURATIONS

4-Panel
4-Track



6-Panel
3-Track



Product specifications are subject to change without notice.

EXTERIOR POCKET DOOR STANDARD STACKING

Exterior / Interior

Configuration	Standard Stacking
PX (1P2T)	
XP (1P2T)	
PXX (2P2T)	
XXP (2P2T)	
PXXX (3P3T)	
XXXP (3P3T)	
PXXXX (4P4T)	
XXXXP (4P4T)	
PXXP (2P2T)	
PXXXXP (4P2T)	
PXXXXXXP (6P3T)	

Product specifications are subject to change without notice.

POCKET DOOR STANDARD SIZE INFORMATION

PX or XP 1-Panel, 2-Track Pocket Door

Call Size			Frame Size			Rough Opening			Finished Opening			Pocket	Panel Size (in)			Clear Opening			Daylight	
W	x	H	W	x	H	W	x	H	W	x	H	Width	W	x	H	W	x	H*	Sq. Ft.	Sq. Ft.
2-6	x	6-8	59 1/8	x	79 1/2	59 5/8	x	79 3/4	27 3/4	x	79 3/4	31 3/8	30	x	77 1/16	19.42	x	75.25	10.15	9.88
2-6	x	8-0	59 1/8	x	95 1/2	59 5/8	x	95 3/4	27 3/4	x	95 3/4	31 3/8	30	x	93 1/16	19.42	x	91.25	12.30	12.20
2-6	x	10-0	59 1/8	x	119 1/2	59 5/8	x	119 3/4	27 3/4	x	119 3/4	31 3/8	30	x	117 1/16	19.42	x	115.25	15.54	15.68
3-0	x	6-8	71 1/8	x	79 1/2	71 5/8	x	79 3/4	33 3/4	x	79 3/4	37 3/8	36	x	77 1/16	25.42	x	75.25	13.28	12.73
3-0	x	8-0	71 1/8	x	95 1/2	71 5/8	x	95 3/4	33 3/4	x	95 3/4	37 3/8	36	x	93 1/16	25.42	x	91.25	16.10	15.71
3-0	x	10-0	71 1/8	x	119 1/2	71 5/8	x	119 3/4	33 3/4	x	119 3/4	37 3/8	36	x	117 1/16	25.42	x	115.25	20.34	20.19
4-0	x	6-8	95 1/8	x	79 1/2	95 5/8	x	79 3/4	45 3/4	x	79 3/4	49 3/8	48	x	77 1/16	37.42	x	75.25	19.55	18.41
4-0	x	8-0	95 1/8	x	95 1/2	95 5/8	x	95 3/4	45 3/4	x	95 3/4	49 3/8	48	x	93 1/16	37.42	x	91.25	23.71	22.73
4-0	x	10-0	95 1/8	x	119 1/2	95 5/8	x	119 3/4	45 3/4	x	119 3/4	49 3/8	48	x	117 1/16	37.42	x	115.25	29.94	29.21
5-0	x	6-8	119 1/8	x	79 1/2	119 5/8	x	79 3/4	57 3/4	x	79 3/4	61 3/8	60	x	77 1/16	49.42	x	75.25	25.82	24.09
5-0	x	8-0	119 1/8	x	95 1/2	119 5/8	x	95 3/4	57 3/4	x	95 3/4	61 3/8	60	x	93 1/16	49.42	x	91.25	31.31	29.74

PXX or XXP 2-Panel, 2-Track Pocket Door

Call Size			Frame Size			Rough Opening			Finished Opening			Pocket	Panel Size (in)			Clear Opening			Daylight	
W	x	H	W	x	H	W	x	H	W	x	H	Width	W	x	H	W	x	H*	Sq. Ft.	Sq. Ft.
5-0	x	6-8	85 1/8	x	79 1/2	85 5/8	x	79 3/4	53 3/4	x	79 3/4	31 3/8	30	x	77 1/16	45.42	x	75.25	23.73	19.77
5-0	x	8-0	85 1/8	x	95 1/2	85 5/8	x	95 3/4	53 3/4	x	95 3/4	31 3/8	30	x	93 1/16	45.42	x	91.25	28.78	24.41
5-0	x	10-0	85 1/8	x	119 1/2	85 5/8	x	119 3/4	53 3/4	x	119 3/4	31 3/8	30	x	117 1/16	45.42	x	115.25	36.35	31.37
6-0	x	6-8	103 1/8	x	79 1/2	103 5/8	x	79 3/4	65 3/4	x	79 3/4	37 3/8	36	x	77 1/16	57.42	x	75.25	30.00	25.45
6-0	x	8-0	103 1/8	x	95 1/2	103 5/8	x	95 3/4	65 3/4	x	95 3/4	37 3/8	36	x	93 1/16	57.42	x	91.25	36.38	31.42
6-0	x	10-0	103 1/8	x	119 1/2	103 5/8	x	119 3/4	65 3/4	x	119 3/4	37 3/8	36	x	117 1/16	57.42	x	115.25	45.95	40.38
8-0	x	6-8	139 1/8	x	79 1/2	139 5/8	x	79 3/4	89 3/4	x	79 3/4	49 3/8	48	x	77 1/16	81.42	x	75.25	42.54	36.82
8-0	x	8-0	139 1/8	x	95 1/2	139 5/8	x	95 3/4	89 3/4	x	95 3/4	49 3/8	48	x	93 1/16	81.42	x	91.25	51.59	45.46
8-0	x	10-0	139 1/8	x	119 1/2	139 5/8	x	119 3/4	89 3/4	x	119 3/4	49 3/8	48	x	117 1/16	81.42	x	115.25	65.16	58.41
10-0	x	6-8	175 1/8	x	79 1/2	175 5/8	x	79 3/4	113 3/4	x	79 3/4	61 3/8	60	x	77 1/16	105.42	x	75.25	55.09	48.18
10-0	x	8-0	175 1/8	x	95 1/2	175 5/8	x	95 3/4	113 3/4	x	95 3/4	61 3/8	60	x	93 1/16	105.42	x	91.25	66.80	59.49

PXXP 2-Panel, 2-Track Double Pocket Door

Call Size			Frame Size			Rough Opening			Finished Opening			Pocket	Panel Size (in)			Clear Opening			Daylight	
W	x	H	W	x	H	W	x	H	W	x	H	Width	W	x	H	W	x	H*	Sq. Ft.	Sq. Ft.
5-0	x	6-8	117 9/16	x	79 1/2	118 1/16	x	79 3/4	54 13/16	x	79 3/4	31 3/8	30	x	77 1/16	39.92	x	75.25	20.86	19.77
5-0	x	8-0	117 9/16	x	95 1/2	118 1/16	x	95 3/4	54 13/16	x	95 3/4	31 3/8	30	x	93 1/16	39.92	x	91.25	25.30	24.41
5-0	x	10-0	117 9/16	x	119 1/2	118 1/16	x	119 3/4	54 13/16	x	119 3/4	31 3/8	30	x	117 1/16	39.92	x	115.25	31.95	31.37
6-0	x	6-8	141 9/16	x	79 1/2	142 1/16	x	79 3/4	66 13/16	x	79 3/4	37 3/8	36	x	77 1/16	51.92	x	75.25	27.13	25.45
6-0	x	8-0	141 9/16	x	95 1/2	142 1/16	x	95 3/4	66 13/16	x	95 3/4	37 3/8	36	x	93 1/16	51.92	x	91.25	32.90	31.42
6-0	x	10-0	141 9/16	x	119 1/2	142 1/16	x	119 3/4	66 13/16	x	119 3/4	37 3/8	36	x	117 1/16	51.92	x	115.25	41.55	40.38
8-0	x	6-8	189 9/16	x	79 1/2	190 1/16	x	79 3/4	90 13/16	x	79 3/4	49 3/8	48	x	77 1/16	75.92	x	75.25	39.67	36.82
8-0	x	8-0	189 9/16	x	95 1/2	190 1/16	x	95 3/4	90 13/16	x	95 3/4	49 3/8	48	x	93 1/16	75.92	x	91.25	48.11	45.46
8-0	x	10-0	189 9/16	x	119 1/2	190 1/16	x	119 3/4	90 13/16	x	119 3/4	49 3/8	48	x	117 1/16	75.92	x	115.25	60.76	58.41
10-0	x	6-8	237 9/16	x	79 1/2	238 1/16	x	79 3/4	114 13/16	x	79 3/4	61 3/8	60	x	77 1/16	99.92	x	75.25	52.21	48.18
10-0	x	8-0	237 9/16	x	95 1/2	238 1/16	x	95 3/4	114 13/16	x	95 3/4	61 3/8	60	x	93 1/16	99.92	x	91.25	63.32	59.49

PXXX or XXXP 3-Panel, 3-Track Pocket Door

Call Size			Frame Size			Rough Opening			Finished Opening			Pocket	Panel Size (in)			Clear Opening			Daylight	
W	x	H	W	x	H	W	x	H	W	x	H	Width	W	x	H	W	x	H*	Sq. Ft.	Sq. Ft.
7-6	x	6-8	111 1/8	x	79 1/2	111 5/8	x	79 3/4	79 3/4	x	79 3/4	31 3/8	30	x	77 1/16	71.42	x	75.25	37.32	29.65
7-6	x	8-0	111 1/8	x	95 1/2	111 5/8	x	95 3/4	79 3/4	x	95 3/4	31 3/8	30	x	93 1/16	71.42	x	91.25	45.25	36.61
7-6	x	10-0	111 1/8	x	119 1/2	111 5/8	x	119 3/4	79 3/4	x	119 3/4	31 3/8	30	x	117 1/16	71.42	x	115.25	57.16	47.05
9-0	x	6-8	135 1/8	x	79 1/2	135 5/8	x	79 3/4	97 3/4	x	79 3/4	37 3/8	36	x	77 1/16	89.42	x	75.25	46.73	38.18
9-0	x	8-0	135 1/8	x	95 1/2	135 5/8	x	95 3/4	97 3/4	x	95 3/4	37 3/8	36	x	93 1/16	89.42	x	91.25	56.66	47.14
9-0	x	10-0	135 1/8	x	119 1/2	135 5/8	x	119 3/4	97 3/4	x	119 3/4	37 3/8	36	x	117 1/16	89.42	x	115.25	71.56	60.57
12-0	x	6-8	183 1/8	x	79 1/2	183 5/8	x	79 3/4	133 3/4	x	79 3/4	49 3/8	48	x	77 1/16	125.42	x	75.25	65.54	55.22
12-0	x	8-0	183 1/8	x	95 1/2	183 5/8	x	95 3/4	133 3/4	x	95 3/4	49 3/8	48	x	93 1/16	125.42	x	91.25	79.47	68.18
12-0	x	10-0	183 1/8	x	119 1/2	183 5/8	x	119 3/4	133 3/4	x	119 3/4	49 3/8	48	x	117 1/16	125.42	x	115.25	100.38	87.62
15-0	x	6-8	231 1/8	x	79 1/2	231 5/8	x	79 3/4	169 3/4	x	79 3/4	61 3/8	60	x	77 1/16	161.42	x	75.25	84.35	72.27
15-0	x	8-0	231 1/8	x	95 1/2	231 5/8	x	95 3/4	169 3/4	x	95 3/4	61 3/8	60	x	93 1/16	161.42	x	91.25	102.29	89.23

* Based on standard 2-1/2" sill riser

See page 15 for additional clear opening formulas

Calculations based on panel followers being installed per the installation instructions

Product specifications are subject to change without notice.

POCKET DOOR STANDARD SIZE INFORMATION

PXXXX or XXXXP 4-Panel, 4-Track Pocket Door

Call Size			Frame Size			Rough Opening			Finished Opening			Pocket	Panel Size (in)			Clear Opening		Daylight
W	x	H	W	x	H	W	x	H	W	x	H	Width	W	x	H	W	x	Sq. Ft.
10-0	x	6-8	137 1/8	x	79 1/2	137 5/8	x	79 3/4	105 3/4	x	79 3/4	31 3/8	30	x	77 1/16	97.42	x	50.91
10-0	x	8-0	137 1/8	x	95 1/2	137 5/8	x	95 3/4	105 3/4	x	95 3/4	31 3/8	30	x	93 1/16	97.42	x	61.73
10-0	x	10-0	137 1/8	x	119 1/2	137 5/8	x	119 3/4	105 3/4	x	119 3/4	31 3/8	30	x	117 1/16	97.42	x	77.97
12-0	x	6-8	167 1/8	x	79 1/2	167 5/8	x	79 3/4	129 3/4	x	79 3/4	37 3/8	36	x	77 1/16	121.42	x	63.45
12-0	x	8-0	167 1/8	x	95 1/2	167 5/8	x	95 3/4	129 3/4	x	95 3/4	37 3/8	36	x	93 1/16	121.42	x	76.94
12-0	x	10-0	167 1/8	x	119 1/2	167 5/8	x	119 3/4	129 3/4	x	119 3/4	37 3/8	36	x	117 1/16	121.42	x	97.17
16-0	x	6-8	227 1/8	x	79 1/2	227 5/8	x	79 3/4	177 3/4	x	79 3/4	49 3/8	48	x	77 1/16	169.42	x	88.53
16-0	x	8-0	227 1/8	x	95 1/2	227 5/8	x	95 3/4	177 3/4	x	95 3/4	49 3/8	48	x	93 1/16	169.42	x	107.35
16-0	x	10-0	227 1/8	x	119 1/2	227 5/8	x	119 3/4	177 3/4	x	119 3/4	49 3/8	48	x	117 1/16	169.42	x	135.59
20-0	x	6-8	287 1/8	x	79 1/2	287 5/8	x	79 3/4	225 3/4	x	79 3/4	61 3/8	60	x	77 1/16	217.42	x	113.61
20-0	x	8-0	287 1/8	x	95 1/2	287 5/8	x	95 3/4	225 3/4	x	95 3/4	61 3/8	60	x	93 1/16	217.42	x	137.77

PXXXXX 4-Panel, 2-Track Double Pocket Door

Call Size			Frame Size			Rough Opening			Finished Opening			Pocket	Panel Size (in)			Clear Opening		Daylight
W	x	H	W	x	H	W	x	H	W	x	H	Width	W	x	H	W	x	Sq. Ft.
10-0	x	6-8	169 9/16	x	79 1/2	170 1/16	x	79 3/4	106 13/16	x	79 3/4	31 3/8	30	x	77 1/16	91.92	x	48.03
10-0	x	8-0	169 9/16	x	95 1/2	170 1/16	x	95 3/4	106 13/16	x	95 3/4	31 3/8	30	x	93 1/16	91.92	x	58.25
10-0	x	10-0	169 9/16	x	119 1/2	170 1/16	x	119 3/4	106 13/16	x	119 3/4	31 3/8	30	x	117 1/16	91.92	x	73.57
12-0	x	6-8	205 9/16	x	79 1/2	206 1/16	x	79 3/4	130 13/16	x	79 3/4	37 3/8	36	x	77 1/16	115.92	x	60.57
12-0	x	8-0	205 9/16	x	95 1/2	206 1/16	x	95 3/4	130 13/16	x	95 3/4	37 3/8	36	x	93 1/16	115.92	x	73.45
12-0	x	10-0	205 9/16	x	119 1/2	206 1/16	x	119 3/4	130 13/16	x	119 3/4	37 3/8	36	x	117 1/16	115.92	x	92.77
16-0	x	6-8	277 9/16	x	79 1/2	278 1/16	x	79 3/4	178 13/16	x	79 3/4	49 3/8	48	x	77 1/16	163.92	x	85.66
16-0	x	8-0	277 9/16	x	95 1/2	278 1/16	x	95 3/4	178 13/16	x	95 3/4	49 3/8	48	x	93 1/16	163.92	x	103.87
16-0	x	10-0	277 9/16	x	119 1/2	278 1/16	x	119 3/4	178 13/16	x	119 3/4	49 3/8	48	x	117 1/16	163.92	x	131.19
20-0	x	6-8	349 9/16	x	79 1/2	350 1/16	x	79 3/4	226 13/16	x	79 3/4	61 3/8	60	x	77 1/16	211.92	x	110.74
20-0	x	8-0	349 9/16	x	95 1/2	350 1/16	x	95 3/4	226 13/16	x	95 3/4	61 3/8	60	x	93 1/16	211.92	x	134.29

PXXXXXX 6-Panel, 3-Track Double Pocket Door

Call Size			Frame Size			Rough Opening			Finished Opening			Pocket	Panel Size (in)			Clear Opening		Daylight
W	x	H	W	x	H	W	x	H	W	x	H	Width	W	x	H	W	x	Sq. Ft.
15-0	x	6-8	221 9/16	x	79 1/2	222 1/16	x	79 3/4	158 13/16	x	79 3/4	31 3/8	30	x	77 1/16	143.92	x	75.21
15-0	x	8-0	221 9/16	x	95 1/2	222 1/16	x	95 3/4	158 13/16	x	95 3/4	31 3/8	30	x	93 1/16	143.92	x	91.20
15-0	x	10-0	221 9/16	x	119 1/2	222 1/16	x	119 3/4	158 13/16	x	119 3/4	31 3/8	30	x	117 1/16	143.92	x	115.18
18-0	x	6-8	269 9/16	x	79 1/2	270 1/16	x	79 3/4	194 13/16	x	79 3/4	37 3/8	36	x	77 1/16	179.92	x	94.02
18-0	x	8-0	269 9/16	x	95 1/2	270 1/16	x	95 3/4	194 13/16	x	95 3/4	37 3/8	36	x	93 1/16	179.92	x	114.01
18-0	x	10-0	269 9/16	x	119 1/2	270 1/16	x	119 3/4	194 13/16	x	119 3/4	37 3/8	36	x	117 1/16	179.92	x	144.00
24-0	x	6-8	365 9/16	x	79 1/2	366 1/16	x	79 3/4	266 13/16	x	79 3/4	49 3/8	48	x	77 1/16	251.92	x	131.64
24-0	x	8-0	365 9/16	x	95 1/2	366 1/16	x	95 3/4	266 13/16	x	95 3/4	49 3/8	48	x	93 1/16	251.92	x	159.63
24-0	x	10-0	365 9/16	x	119 1/2	366 1/16	x	119 3/4	266 13/16	x	119 3/4	49 3/8	48	x	117 1/16	251.92	x	201.62
30-0	x	6-8	461 9/16	x	79 1/2	462 1/16	x	79 3/4	338 13/16	x	79 3/4	61 3/8	60	x	77 1/16	323.92	x	169.27
30-0	x	8-0	461 9/16	x	95 1/2	462 1/16	x	95 3/4	338 13/16	x	95 3/4	61 3/8	60	x	93 1/16	323.92	x	205.26

* Based on standard 2-1/2" sill riser

See page 15 for additional clear opening formulas

Calculations based on panel followers being installed per the installation instructions

CLEAR OPENING FORMULAS


Clear Opening Height	No Sill Riser	2-1/2" Sill Riser	3-1/2" Sill Riser	4" Sill Riser
All Configurations	FH - 3.50"	FH - 4.25"	FH - 5.25"	FH - 5.75"

Clear Opening Width - Pocket Doors			
1-Panel	2-Track	PX / XP	FO - 8.335"
2-Panel	2-Track	PXX / XXP	FO - 8.335"
		PXXP	FO -14.895"
3-Panel	3-Track	PXXX / XXXP	FO - 8.335"
4-Panel	2-Track	PXXXX / XXXXP	FO - 8.335"
	4-Track	PXXXXP	FO -14.895"
6-Panel	3-Track	PXXXXXP	FO -14.895"


* Calculations based on panel followers being installed per the installation instructions
 FH = Frame height, FO = Finished opening width

SILL DETAILS


2-Track



3-Track




4-Track




Product specifications are subject to change without notice.

SILL RISER OPTIONS AND NAILING FIN OPTION


Sill Riser Options



PG35




PG50



PG60, DP+60/-65 &
PG70, DP +70/-80



Nailing Fin Option



Note: The nailing fin set-back is 1 3/8" from the exterior face of the frame to the exterior surface of the nailing fin.



The nailing fin set-back is the same for the 2-Track, 3-Track and 4-Track multi-slide patio door frames.

2-TRACK MULTI-SLIDE PATIO DOOR - SECTION DETAILS




Product specifications are subject to change without notice.

3-TRACK MULTI-SLIDE PATIO DOOR - SECTION DETAILS



Product specifications are subject to change without notice.

4-TRACK MULTI-SLIDE PATIO DOOR - SECTION DETAILS



Product specifications are subject to change without notice.

© 2022 Simonton Windows & Doors, Inc., part of **Cornerstone Building Brands**, Inc. ALL RIGHTS RESERVED. 7105229991101/MS/0622