





Designed to Perform.

The Contractor Collection offers a wide selection of window operating styles and sizes to meet your home's design and installation needs. These windows are expertly crafted to be durable, weather-resistant and energy-efficient, ensuring dependable performance for years to come.



IMPACTFUL STYLE

Brighten and beautify your home—inside and out. Explore a wide range of styles, configurations, and colors to complement any architectural or interior design style.



PREMIUM VINYL

Simonton vinyl is crafted with pride in the USA using high-quality raw materials for exceptional durability, thermal efficiency, and resistance to weather, insects, and decay.



EXCEPTIONAL QUALITY

Simonton Contractor windows feature fusionwelded construction with multi-chambered frames to provide weathertight protection from the elements and durability.



ENERGY EFFICIENCY

Simonton Contractor windows can be customized to meet ENERGY STAR® requirements in any region, offering superior thermal performance to maximize the interior comfort of your home.



AAMA GOLD CERTIFICATION

The Contractor Collection has earned the AAMA Gold Label, signifying best-in-class durability, weather resistance, and energy efficiency. Learn more at simonton.com/aama-gold.



STRONG WARRANTY

We stand behind the quality and craftsmanship of our windows, offering a strong warranty on vinyl, hardware, screens and the insulating glass unit for added peace of mind. Learn more at simonton.com/warranty



TRUSTED EXPERTISE

We are proud to embrace our legacy as an American manufacturer—and we continue to deliver on our reputation for innovation and authenticity built over







Performance Features.

Quality matters when you're building a new home. And quality is what the Simonton Contractor Collection delivers. Each window is built to help protect homes from the elements, save energy and maintain interior comfort during any season.

SIMONTON CONTRACTOR

DOUBLE HUNG

1. FINISHED LOOK

Deluxe J-channel simplifies installation with vinyl siding.

2. EASY INSTALLATION

An integral nailing fin for quicker installation.

3. BUILT TO LAST

Robust, welded vinyl frame and sash provide both durability and ease of handling.

4. ATTRACTIVE DESIGN

Beveled exterior frame increases architectural character.

5. INCREASED COMFORT

Standard 3/4" insulating glass unit with ProSolar® Low-E glass, Argon gas and Intercept® spacer system enhance energy efficiency.

6. EASY ACCESS

Flush-mount tilt latches release the sash to tilt in for simple in-home cleaning.

7.WEATHER RESISTANT

An overlapping, interlocking meeting rail guards against weather infiltration.

8. MAINTAINS BEAUTY

Extruded vinyl resists chipping, flaking and pitting and retains its looks with virtually no maintenance.

9. SMOOTH OPERATION

1/2" stainless steel coil spring balance system keeps window sash in any desired position (Double Hung, Single Hung only).

10. DEPENDABLE PERFORMANCE

The pivot alignment system keeps the frame and sash in precise alignment, improving squareness and operation. (Double Hung, Single Hung only).

11. DURABLE CONSTRUCTION

Triple-chambered compound-cut sill helps prevent bowing.

12. WATER BARRIER

10-degree sloped sill moves rainwater away from the home.







Nailing Fin & J-channel



Nailing Fin Only

Flexible Installation

Contractor windows have an integral J-channel and nail fin for new construction applications but can be ordered to accommodate replacement installations.

A Window Style for Every Home.

Consider your home's architectural and interior design when selecting a window style. Choose from a variety of shapes and unique operating styles that will complement your home inside and out while delivering dependable functionality and performance.



DOUBLE HUNG

Double Hung windows provide a timeless and classical aesthetic. The top and bottom sash slide vertically and tilt in for easy cleaning from inside the home.



CASEMENT

Casements offer maximum ventilation and are the most energy-efficient windows available. The crankoperated hinged sash opens easily outward and can be cleaned from inside when fully opened.




SINGLE HUNG

Single Hung windows provide a classic, streamlined appearance. The bottom sash slides vertically and tilts in for easy cleaning from inside the home.



AWNING

Awning windows are hinged at the top and open outward. Turn the crank handle and enjoy fresh air, even when it's raining.



SLIDING

Sliding windows glide horizontally to increase ventilation. Available in 2or 3-lite configurations. 3-lite Sliders have a fixed center window with operable end vents.



PICTURE

Offering an expansive, unhindered view, a Picture window is one of the most weather-resistant styles available and is fixed—with no movable sash. They are ideal for large or small areas where daylight is desired.








Available in a variety of circular, arched and linear designs—Specialty windows provide a unique, custom look that complements both contemporary and traditional homes



OPERABLE SPECIALTY SHAPES

Single hung functionality combined with circular, arched and linear designs, Operable Specialty Shape windows provide a unique, custom look that highlights both contemporary and traditional homes.



COMBINATION WINDOWS

Select Contractor windows can be mulled (or joined) together into a single unit. A mulled window combines matching or contrasting window styles to create a single weathertight unit that provides a truly custom aesthetic and allows more natural light into your home.

Energy Efficiency, Savings & Comfort.

Simonton Contractor windows deliver exceptional energy efficiency and thermal performance to help reduce your heating and cooling costs and provide consistent interior comfort. Additional glass options are available to enhance safety, privacy and fade protection.



PROSOLAR LOW-E GLASS



Standard **ProSolar® Low-E Glass** helps keep warm air in during the winter months. In summer, it helps deflect external heat and retains cooled air.



+ ProSolar® Shade Low-E Glass offers superior solar control and insulating performance, making it ideal for warmer climates with more intensive interior cooling needs.



+ ProSolar® Sun Low-E Glass lets in the sun's warming rays while blocking external heat loss, helping to keep homes warm in cooler climates that require more energy to heat.





SPACER SYSTEMS

Glass panes are separated by a spacer system that helps seal in functional gases and create an airtight seal.

- The standard Intercept® spacer system helps keep glass warm and expands and contracts for reduced seal failure.
- ← The Supercept™ spacer system utilizes a stainless steel alloy that offers increased durability and thermal efficiency.
- (+) The non-metallic foam Super Spacer® is non-conductive and virtually eliminates temperature transfer.



GAS FILL

- Standard **Argon gas** (six times denser than air) is sealed between the glass panes to increase insulation and reduce energy loss.
- Upgrade to Krypton gas (twelve) times denser than air) for maximum thermal efficiency.

KEY



- Standard





DOUBLE-STRENGTH GLASS

Thick, double-strength glass is breakresistant and offers increased sound control.



(+) SAFETY GLASS

Heat-strengthened tempered glass is stronger than regular glass and safely breaks down into pebbles if broken. Tempered glass is often a building code requirement for use in bathrooms and windows near the floor.



(+) OBSCURED GLASS

Obscured glass has a textured pattern to maximize privacy while still allowing ample natural light into your home.



(+) TINTED GLASS

Bronze or gray tinted glass helps control solar heat gain and reduce glare and visibility into your home.



+ ENERGY STAR®

Simonton offers optional region-specific ENERGY STAR glass packages designed to deliver optimal energy performance and comfort in any climate.



Select Your Design Options.

Bring your vision to life with a variety of colors and hardware options to complete the aesthetic of your home. Contractor windows are built with virtually maintenancefree vinyl that retains its beauty throughout the years.

INTERIOR/EXTERIOR VINYL COLORS








CUSTOM EXTERIOR FINISHES





Black

Bronze

HARDWARE FINISHES

CAM LOCKS

Driftwood

Available on Double Hung, Single Hung and Sliding windows, cam locks pull your window frame and sash together for increased security and weather resistance.









NESTING CRANK HANDLE

interfere with blinds or shades.

Casement and Awning windows feature

a convenient nesting handle that folds

neatly away into the base and doesn't

White



Tan



Driftwood



Brass

Due to limitations in the printing process, actual colors may vary from printed materials. Please see a sample of the product before making your final color selection.



SAFETY & SECURITY

Available on hung and sliding windows, the Window Opening Control Device (WOCD) is a self-activating vent latch that limits the extent a window can be opened. It helps increase safety against accidental falls while allowing safe egress in an emergency.



Select Your Grille Pattern and Profile.

Traditional or contemporary, the right grille profile and pattern can transform the look of your home. Easy-care grilles are located between the panes of glass and never need to be dusted or cleaned.

GRILLE PATTERNS



Colonial



Perimeter



Double Perimeter



Prairie



Double Prairie



Victorian*



Diamond*

GRILLE PROFILES



5/8" Flat



3/4" Contoured



1" Contoured

* Victorian and Diamond patterns are only available with flat grilles. Products with exterior color are only available with 3/4" contoured grilles.





Simonton Contractor Collection Customer Rating: 4.4/5 Stars (as of 07/23)

Visit simonton.com/contractor to learn more about the Contractor Collection and read independent homeowner reviews.



Proud member of Cornerstone Building Brands, the #1 manufacturer of windows in North America.



Code Specifications: Due to varied state and municipal building codes, it is the sole responsibility of the individual architect, builder, contractor, developer, engineer and/or purchaser to ensure that any Simonton product complies with applicable existing building codes. Simonton is not responsible for calculation and design of support mullions or structural support required for installation of products, safety glazing requirements or ingress/egress requirements. Please contact your local building codes official prior to installing products. If you have questions concerning performance or options available, please contact your supplier.

The information contained is current at the time of printing. Changes to the product(s) may have been made since publication. Not all product styles and options available in all areas. Please consult your sales representative prior to purchasing. Due to limitations in the printing process, actual colors may vary from printed materials. Please see a sample of the product before the product of the product before the product of the produmaking your final color selection.

Simonton® and ProSolar® are registered trademarks and Supercept™, the Simonton logo and the stylized "S" are trademarks of Simonton Windows & Doors, Inc. Super Spacer® is a registered trademark of Quanex Building Products. Intercept® is a registered trademark owned by Vitro. ENERGY STAR® is a registered trademark of the U.S. Environmental Protection Agency.